



# Arm® Performance Model Library


Product revision: 1.0

## Release Note

Non-Confidential

Copyright © 2022 Arm Limited (or its affiliates).  
All rights reserved.

Document ID:107623



## Arm® Performance Model Library Release Note

Copyright © 2022 Arm Limited (or its affiliates). All rights reserved.

### Non-Confidential Proprietary Notice

This document is protected by copyright and other related rights and the practice or implementation of the information contained in this document may be protected by one or more patents or pending patent applications. No part of this document may be reproduced in any form by any means without the express prior written permission of Arm. No license, express or implied, by estoppel or otherwise to any intellectual property rights is granted by this document unless specifically stated.

Your access to the information in this document is conditional upon your acceptance that you will not use or permit others to use the information for the purposes of determining whether implementations infringe any third party patents.

THIS DOCUMENT IS PROVIDED “AS IS”. ARM PROVIDES NO REPRESENTATIONS AND NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE DOCUMENT. For the avoidance of doubt, Arm makes no representation with respect to, has undertaken no analysis to identify or understand the scope and content of, patents, copyrights, trade secrets, or other rights.

This document may include technical inaccuracies or typographical errors.

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL ARM BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF ANY USE OF THIS DOCUMENT, EVEN IF ARM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document consists solely of commercial items. You shall be responsible for ensuring that any use, duplication or disclosure of this document complies fully with any relevant export laws and regulations to assure that this document or any portion thereof is not exported, directly or indirectly, in violation of such export laws. Use of the word “partner” in reference to Arm's customers is not intended to create or refer to any partnership relationship with any other company. Arm may make changes to this document at any time and without notice.

This document may be translated into other languages for convenience, and you agree that if there is any conflict between the English version of this document and any translation, the terms of the English version of the Agreement shall prevail.

The Arm corporate logo and words marked with ® or ™ are registered trademarks or trademarks of Arm Limited (or its affiliates) in the US and/or elsewhere. All rights reserved. Other brands and names mentioned in this document may be the trademarks of their respective owners. Please follow Arm's trademark usage guidelines at <https://www.arm.com/company/policies/trademarks>.

Copyright © 2022 Arm Limited (or its affiliates). All rights reserved.

Arm Limited. Company 02557590 registered in England.  
110 Fulfourn Road, Cambridge, England CB1 9NJ.  
(LES-PRE-20349)

## Confidentiality Status

This document is Non-Confidential. The right to use, copy and disclose this document may be subject to license restrictions in accordance with the terms of the agreement entered into by Arm and the party that Arm delivered this document to.

Unrestricted Access is an Arm internal classification.

## Product status

The information in this document is Final, that is for a developed product.

## Feedback

Arm welcomes feedback on this product and its documentation. To provide feedback on Arm® Performance Model Library, create a ticket on <https://support.developer.arm.com>.

To provide feedback on the document, fill the following survey:  
<https://developer.arm.com/documentation-feedback-survey>.

## Inclusive language commitment

Arm values inclusive communities. Arm recognizes that we and our industry have used language that can be offensive. Arm strives to lead the industry and create change.

To report offensive language in this document, email [terms@arm.com](mailto:terms@arm.com).

# Contents

<b>1.</b>	<b>Release overview.....</b>	<b>5</b>
1.1.	Product description .....	5
1.2.	Release status.....	5
<b>2.</b>	<b>Release contents.....</b>	<b>6</b>
2.1.	Downloading and unpacking .....	6
2.2.	Deliverables and compatibility .....	7
2.3.	Directory structure.....	8
2.4.	Additions for this release.....	8
2.5.	Known limitations .....	8
<b>3.</b>	<b>Support .....</b>	<b>10</b>
3.1.	Tools.....	10
3.2.	OS.....	10
<b>4.</b>	<b>Conventions.....</b>	<b>11</b>
4.1.	Glossary .....	11
4.2.	Typographical conventions.....	11

# 1. Release overview

The following sections describe the product that this release note describes and its quality status at time of release.

## 1.1. Product description

The Arm® Performance Model Library is a package that contains the supported Arm Performance Models to dynamically model and simulate the performance of configured Arm IP. You can adjust your IP configuration based on the model's performance data, thereby improving the performance of the IP in your SoC design.

You can deploy the Performance Models by only associating the Performance Model Library in the Arm® Socrates™ Performance Application in the Arm Socrates™ IP Tooling platform. Socrates enables you to browse, configure, and build Arm IP, including Arm Interconnect IP. For more information about installing and using Socrates, see the [Arm Socrates Installation Guide](#) and [Arm Socrates User Guide](#) respectively.

This release of the Arm® Performance Model Library contains the Arm CoreLink™ NI-700 Performance Model. You can associate the Performance Model Library in the Performance Application of Socrates v1.7.1. For more information about its association, see the *Arm® Socrates™ for CoreLink™ NI-700 Network-on-Chip Interconnect User Guide* that is provided only with Socrates.

## 1.2. Release status

This is the REL release of Arm® Performance Model Library 1.0.

## 2. Release contents

Arm releases can contain documentation and source files such as RTL, testbenches, or software.

The following sections describe:

- Downloading and unpacking the product.
- The contents of this release.
- Any known issues and limitations that exist at the time of this release.

### 2.1. Downloading and unpacking

The Arm® Performance Model Library is one of the deliverables in the Arm Hardware Success Kit package. You must download the Arm Hardware Success Kit for Linux to obtain the Arm® Performance Model Library deliverables from the Arm delivery server, Product Download Hub (PDH), and then unpack the contents.

#### Prerequisites

- You must have the necessary access rights for PDH.
- Ensure you have sufficient space in your download area. Check the file size stated in PDH.

#### Procedure

1. Go to <https://developer.arm.com/downloads/view/HWSKT-KS-0002>. If you have a 90-day license, you can replace HWSKT-KS-0002 with HWSKT-KS-9002.
2. Check that the revision shown is r1p0-01rel5. If another revision is shown, you can select any release version later than r1p0-01rel5.
3. Click **Download Now** to download the Arm Hardware Success Kit for Linux artifact.
4. Choose your preferred download method and click **Download**.
5. Select where to save the artifact and click **Save**.
6. Navigate to the downloaded file.
7. Copy the downloaded file to the directory where the extracted artifacts are to be saved, that is, `<install_dir>`.
8. Extract the downloaded file contents into this location.

The Performance Model Library is extracted into its own directory, for example:

```
<install_dir>/HWSKT-KS-0002-r1p0-01rel5-pkg1/PMLIB-BN-STD01-r1p0-00rel0
```

Other products in the Arm Hardware Success Kit are extracted to their own directories in:

```
<install_dir>/HWSKT-KS-0002-r1p0-01rel5-pkg1
```

For more information on installing, configuring, and rendering, see the product documentation.

## 2.2. Deliverables and compatibility

The downloaded Arm Hardware Success Kit package includes the Performance Model Library artifact and also the Arm Socrates artifact.

You must ensure that the downloaded release of Socrates is compatible with this release of the Performance Model Library. You must also download the compatible release of the Arm CoreLink NI-700 which is a separate package. For more information about compatible releases, see [Table 2-2](#).

The Performance Model Library Release Note is available as a deliverable in the Performance Model Library artifact. It is also available directly on Arm Developer <https://developer.arm.com/documentation/107623/latest> and the version of the Release Note can change between PDH releases of the product.

[Table 2-1](#) lists the deliverables of the Performance Model Library artifact in the Arm Hardware Success Kit for Linux artifact.

**Table 2-1: Arm® Performance Model Library deliverables in HWSKT-KS-0002-r1p0-01rel5-pkg1**

Description	Updated Y/N
PMLIB-BN-STD01-r1p0-00rel0, Arm® Performance Model Library 1.0	First release
arm_performance_model_library_r1p0-00rel0_release_note_107623_01.pdf, Arm® Performance Model Library 1.0 Release Note	First release

[Table 2-2](#) lists the compatible releases of Arm Socrates and Arm CoreLink NI-700 packages for use with this product. The CoreLink NI-700 package must be downloaded as a separate package.

**Table 2-2: Required packages for Arm® Performance Model Library**

Product	PDH release	Packages
Arm Socrates 1.7.1	r1p7-01rel0	<a href="https://developer.arm.com/downloads/view/HWSKT-KS-0002">https://developer.arm.com/downloads/view/HWSKT-KS-0002</a> and its Linux artifact
Arm CoreLink NI-700 r1p0 to r2p1	r1p0-00eac0 to r2p1-00rel2	Depending on your license type: <a href="https://developer.arm.com/downloads/view/PL619-TRM">https://developer.arm.com/downloads/view/PL619-TRM</a> or <a href="https://developer.arm.com/downloads/view/PL619-PRU">https://developer.arm.com/downloads/view/PL619-PRU</a>



Refer to the Release Note of each required product for full details of their packages. The version of the Release Note may change between PDH releases of a product.



Arm tests its PDFs only in Adobe Acrobat and Acrobat Reader. Arm cannot guarantee the quality of its documents when used with any other PDF reader.  
Adobe PDF reader products can be downloaded at <http://www.adobe.com>.

## 2.3. Directory structure

Figure 2-1 shows the principal directory structure of this release that is created after unpacking the Performance Model Library artifact within the Arm Hardware Success Kit for Linux package, `HWSKT-KS-0002-r1p0-01rel5-pkg1.tgz` and where `x` refers to the Performance Model Library build number, for example 9.

**Figure 2-1 Principal directory structure**

```
<install_dir>/HWSKT-KS-0002-r1p0-01rel5-pkg1/
|
|-- PMLIB-BN-STD01-r1p0-00rel0
|   |-- Arm_Performance_Models_Library_1.0.x_HSK
|       |-- arm_performance_model_library_r1p0-00rel0_release_note_107623_01.pdf
|       |-- linux-x86_64
|           |-- .data
|           |-- armlm
|           |-- license_terms
|               |-- third_party_licenses (sub-folder per application)
|                   |-- license_agreement.txt
|                   |-- redistributables.txt
|                   |-- supplementary_terms.txt
|       |-- models
|           |-- NI-700_Performance_Model
```

## 2.4. Additions for this release

This first release contains early support for User-Based Licensing (UBL). UBL is available only to customers who have UBL licenses. For more information about how to enable UBL licensing or information about legacy licensing, see the [User-based licensing User Guide](#).

## 2.5. Known limitations

The Release Note version 1 (`arm_performance_model_library_r1p0-00rel0_release_note_107623_01.pdf`) shipped with Arm® Performance Model Library 1.0 in PMLIB-BN-STD01-r1p0-00rel0 had incorrect numbers for:

- the release version of the Arm Hardware Success Kit on PDH, that is, `r1p0-01rel3` instead of the correct release version `r1p0-01rel5` in Section 2.1 Downloading and unpacking
- the build number for the product, that is, 4 instead of the correct build number 9 in Section 2.3 Directory structure

Copyright © 2022 Arm Limited (or its affiliates). All rights reserved.  
Non-Confidential



The fixes have been applied to this document version 2 of the Release Note, and it will be fixed in the Release Note shipped with the next release version of the product in PDH.

For any limitations known issues on running the Performance Model Library in the Socrates Performance Application, see the *Arm Socrates Release Note*.

## 3. Support

If you have any issues with the installation, content or use of this release, create a ticket on <https://support.developer.arm.com>. Arm will respond as soon as possible.

---



Support for this release of the product is only provided by Arm to partners who have a current support and maintenance contract for the product.

---

### 3.1. Tools

For more information about the tools that Socrates supports, see the *Arm Socrates Release Note*.

### 3.2. OS

For more information about the operating systems that Socrates has been developed on, see the *Arm Socrates Release Note*.

## 4. Conventions




The following subsections describe conventions used in Arm documents.




### 4.1. Glossary

The Arm Glossary is a list of terms that are used in Arm documentation, together with definitions for those terms. The Arm Glossary does not contain terms that are industry standard unless the Arm meaning differs from the generally accepted meaning.

See the Arm Glossary for more information: <https://developer.arm.com/glossary>.

### 4.2. Typographical conventions

Convention	Use
<i>italic</i>	Citations.
<b>bold</b>	Interface elements, such as menu names. Signal names. Terms in descriptive lists, where appropriate.
monospace	Text that you can enter at the keyboard, such as commands, file and program names, and source code.
monospace <b>bold</b>	Language keywords when used outside example code.
monospace <u>underline</u>	A permitted abbreviation for a command or option. You can enter the underlined text instead of the full command or option name.
<and>	Encloses replaceable terms for assembler syntax where they appear in code or code fragments. For example: <code>MRC p15, 0, &lt;Rd&gt;, &lt;CRn&gt;, &lt;CRm&gt;, &lt;Opcode_2&gt;</code>
SMALL CAPITALS	Terms that have specific technical meanings as defined in the Arm® Glossary. For example, IMPLEMENTATION DEFINED, IMPLEMENTATION SPECIFIC, UNKNOWN, and UNPREDICTABLE.
 Caution	Recommendations. Not following these recommendations might lead to system failure or damage.
 Warning	Requirements for the system. Not following these requirements might result in system failure or damage.
 Danger	Requirements for the system. Not following these requirements will result in system failure or damage.

Convention	Use
 Note	An important piece of information that needs your attention.
 Tip	A useful tip that might make it easier, better, or faster to perform a task.
 Remember	A reminder of something important that relates to the information you are reading.