



Arm® Performance Models Library (Standard)


Product revision: 1.2

Release Note

Non-Confidential

Copyright © 2022 Arm Limited (or its affiliates).
All rights reserved.

Document ID: 107623



Arm® Performance Models Library (Standard) Release Note

Copyright © 2022 Arm Limited (or its affiliates). All rights reserved.

Non-Confidential Proprietary Notice

This document is protected by copyright and other related rights and the practice or implementation of the information contained in this document may be protected by one or more patents or pending patent applications. No part of this document may be reproduced in any form by any means without the express prior written permission of Arm. No license, express or implied, by estoppel or otherwise to any intellectual property rights is granted by this document unless specifically stated.

Your access to the information in this document is conditional upon your acceptance that you will not use or permit others to use the information for the purposes of determining whether implementations infringe any third party patents.

THIS DOCUMENT IS PROVIDED "AS IS". ARM PROVIDES NO REPRESENTATIONS AND NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE DOCUMENT. For the avoidance of doubt, Arm makes no representation with respect to, has undertaken no analysis to identify or understand the scope and content of, patents, copyrights, trade secrets, or other rights.

This document may include technical inaccuracies or typographical errors.

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL ARM BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF ANY USE OF THIS DOCUMENT, EVEN IF ARM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document consists solely of commercial items. You shall be responsible for ensuring that any use, duplication or disclosure of this document complies fully with any relevant export laws and regulations to assure that this document or any portion thereof is not exported, directly or indirectly, in violation of such export laws. Use of the word "partner" in reference to Arm's customers is not intended to create or refer to any partnership relationship with any other company. Arm may make changes to this document at any time and without notice.

This document may be translated into other languages for convenience, and you agree that if there is any conflict between the English version of this document and any translation, the terms of the English version of the Agreement shall prevail.

The Arm corporate logo and words marked with ® or ™ are registered trademarks or trademarks of Arm Limited (or its affiliates) in the US and/or elsewhere. All rights reserved. Other brands and names mentioned in this document may be the trademarks of their respective owners. Please follow Arm's trademark usage guidelines at <https://www.arm.com/company/policies/trademarks>.

Copyright © 2022 Arm Limited (or its affiliates). All rights reserved.

Arm Limited. Company 02557590 registered in England.
110 Fulfourn Road, Cambridge, England CB1 9NJ.
(LES-PRE-20349)

Confidentiality Status

This document is Non-Confidential. The right to use, copy and disclose this document may be subject to license restrictions in accordance with the terms of the agreement entered into by Arm and the party that Arm delivered this document to.

Unrestricted Access is an Arm internal classification.

Product status

The information in this document is Final, that is for a developed product.

Feedback

Arm welcomes feedback on this product and its documentation. To provide feedback on Arm® Performance Models Library, create a ticket on <https://support.developer.arm.com>.

To provide feedback on the document, fill the following survey:
<https://developer.arm.com/documentation-feedback-survey>.

Inclusive language commitment

Arm values inclusive communities. Arm recognizes that we and our industry have used language that can be offensive. Arm strives to lead the industry and create change.

To report offensive language in this document, email terms@arm.com.

Contents

1. Release overview.....	5
1.1. Product description	5
1.2. Release status.....	6
2. Release contents.....	7
2.1. Downloading and unpacking	7
2.2. Deliverables and compatibility.....	8
2.3. Directory structure.....	9
2.4. Differences from previous releases	10
2.4.1. Additions for this release.....	10
2.4.2. Resolved issues	10
2.4.3. Deprecated features	10
2.5. Known limitations	10
3. Support.....	11
3.1. Tools.....	11
3.2. OS.....	11
4. Conventions	12
4.1. Glossary	12
4.2. Typographical conventions.....	12

1. Release overview

The following sections describe the product that this release note describes and its quality status at time of release.

1.1. Product description

The Arm® Performance Models Library is a package that contains the supported Arm Performance Models to dynamically model and simulate the performance of configured Arm IP. You can adjust your IP configuration based on the model's performance data, thereby improving the performance of the IP in your SoC design.

Different releases of the Arm® Performance Models Library can let you deploy the Performance Models in one or more methods. This release lets you deploy the provided IP Performance Models using the following platforms:

- Associating the Performance Models Library in the Arm® Socrates™ Performance Application in the Arm Socrates™ IP Tooling platform. Socrates enables you to browse, configure, and build Arm IP, including Arm Interconnect IP. For more information about installing and using Socrates, see the [Arm Socrates Installation Guide](#) and [Arm Socrates User Guide](#) respectively.
- Through the supported releases of Synopsys® Platform Architect™. You can import the Performance Model Library into Synopsys® Platform Architect™. Current support is for T-2022.06. Use an export of a configured instance of your IP from your Socrates Performance Application project as input into the Performance Model in Synopsys® Platform Architect™.

Different releases of the Arm® Performance Models Library can contain one or more IP Performance Models. This release contains:

- Arm® CoreLink™ NI-700 Performance Model REL

You can associate the Performance Models Library in the Performance Application of Socrates v1.7.4. For more information about its association, see the *Arm® Socrates™ for CoreLink™ NI-700 Network-on-Chip Interconnect User Guide* that is provided only with Socrates.

Different releases of the Arm® Performance Models Library are available in different editions of the Arm Hardware Success Kits depending on the quality status of the associated IP. This release is available in the Arm Hardware Success Kit (Standard) edition (HSK suffix in the library release folder name) and the associated license variants for full User-Based Licenses (UBL) and older floating (FL) technology licenses. For more information, see the Arm Hardware Success Kit (Standard) edition Release Note.

1.2. Release status

This is the REL release of r1p2 Arm® Performance Models Library.

These deliverables are being released under the terms of the agreement between Arm and each licensee (the “Agreement”). All planned verification and validation are complete. The release is suitable for volume production under the terms of the Agreement.

2. Release contents

Arm releases can contain documentation and source files such as RTL, testbenches, or software.

The following sections describe:

- Downloading and unpacking the product.
- The contents of this release.
- Any changes since the previous release.
- Any known issues and limitations that exist at the time of this release.

2.1. Downloading and unpacking

The Arm® Performance Models Library is one of the deliverables in the Arm Hardware Success Kit (Standard) package. You must download the Arm Hardware Success Kit (Standard) for Linux artifact to obtain the Arm® Performance Models Library deliverables from the Arm delivery server, Product Download Hub (PDH), and then unpack the contents.

Prerequisites

- You must have the necessary access rights for PDH.
- Ensure you have sufficient space in your download area. Check the file size stated in PDH.

Procedure

1. Go to <https://developer.arm.com/downloads/view/HWSKT-STD0>.
If you have the older floating (FL) technology license, you can replace the full User-Based Licenses (UBL) product code HWSKT-STD0 with HWSKT-KS-0002.
2. Check that the revision shown is r2p4-00rel0. If another revision is shown, you can select any release version later than r2p4-00rel0.
3. Click **Download Now** to download the Arm Hardware Success Kit (Standard) for Linux artifact.
4. Choose your preferred download method and click **Download**.
5. Select where to save the artifact and click **Save**.
6. Navigate to the downloaded file.
7. Copy the downloaded file to the directory where the extracted artifacts are to be saved, that is, `<install_dir>`.
8. Extract the downloaded file contents into this location.

The Performance Models Library is extracted into its own directory, for example:

```
<install_dir>/HWSKT-STD0-r2p4-00rel0-pkg1/PMLIB-BN-STD01-r1p2-00rel0
```

Other products in the Arm Hardware Success Kit (Standard) for Linux artifact are downloaded to their own directories in:

```
<install_dir>/HWSKT-STD0-r2p4-00rel0-pkg1
```

For more information on installing, configuring, and rendering, see the product documentation.

2.2. Deliverables and compatibility

The downloaded Arm Hardware Success Kit (Standard) package includes the Performance Models Library artifact and also the Arm Socrates artifact. Depending on your application, you might also require either Socrates or Synopsys® Platform Architect™, or both.

Table 2.1 lists the deliverables of the Performance Models Library artifact in the Arm Hardware Success Kit (Standard) for Linux artifact.

Table 2.1: Arm® Performance Models Library deliverables in HWSKT-STD0-r2p4-00rel0-pkg1

Description	Updated Y/N
PMLIB-BN-STD01-r1p2-00rel0, Arm® Performance Models Library 1.2 (Standard)	Y
arm_performance_model_library_r1p2_00rel0_release_note_107623_5.pdf, Arm® Performance Models Library 1.2 (Standard) Release Note	Y

You must ensure that the downloaded release of Socrates is compatible with this release of the Performance Models Library. You must also download the compatible releases of the Arm CoreLink NI-700, which is a separate package. For more information about compatible releases, see **Table 2.2**.

The Performance Models Library (Standard) Release Note is available as a deliverable in the Performance Models Library artifact. It is also available directly on Arm Developer <https://developer.arm.com/documentation/107623/latest> and the version of the Release Note can change between PDH releases of the product.

For Synopsys® Platform Architect™ deployment, you must ensure that you download the compatible release of Synopsys® Platform Architect™, which is a separate package available for download from Synopsys®.

Table 2.2 lists the compatible releases of Arm Socrates, Synopsys® Platform Architect™, and CoreLink NI-700 packages for use with this product.

Table 2.2 Required packages for Performance Models Library

Product	PDH/Supported release	Packages
Arm Socrates 1.7.4	r1p7-04rel0	Same Linux artifact as this Performance Models Library version, for example: <pre><install_dir>/HWSKT-STD0-r2p4-00rel0-pkg1/SYSOC-BN-00001-r1p7-04rel0</pre>

Product	PDH/Supported release	Packages
Arm CoreLink NI-700 r2p1	r2p1-00rel2 or later	https://developer.arm.com/downloads/view/PL619
Synopsys® Platform Architect™	T-2022.06	Available from Synopsys®



Refer to the Release Note of each required product for full details of their packages. The version of the Release Note may change between PDH releases of a product.



Arm tests its PDFs only in Adobe Acrobat and Acrobat Reader. Arm cannot guarantee the quality of its documents when used with any other PDF reader.
Adobe PDF reader products can be downloaded at <http://www.adobe.com>.

2.3. Directory structure

Figure 2-1 shows the principal directory structure of this release that is created after unpacking the Performance Models Library artifact within the Arm Hardware Success Kit (Standard) for Linux package, `HWSKT-STD0-r2p4-00rel0-pkg1.tgz`. In the Library folder file name, `x` refers to the Performance Models Library build number, for example 9, and the HSK suffix refers to the Library's Standard release in the Arm Hardware Success Kit (Standard) edition.

Figure 2-1 Principal directory structure

```
<install_dir>/HWSKT-STD0-r2p4-00rel0-pkg1/  
|  
|-- PMLIB-BN-STD01-r1p2-00rel0  
|   |-- Arm_Performance_Models_Library_1.2.x_HSK  
|       |-- arm_performance_models_library_r1p2_00rel0_release_note_107623_05.pdf  
|       |-- linux-x86_64  
|           |-- .data  
|           |-- armlm  
|           |-- license_terms  
|               |-- license_agreement.txt  
|               |-- redistributables.txt  
|               |-- supplementary_terms.txt  
|                   |-- third_party_licenses  
|                       |-- arm_license_management_utilities  
|                       |-- NI-700_Performance_Model  
|-- models  
    |-- NI-700_Performance_Model  
        |-- Synopsys  
        |-- Socrates
```

2.4. Differences from previous releases

The following subsections describe differences from the previous release of Performance Models Library.

2.4.1. Additions for this release

Table 2.3: New features or components introduced in this release

Component/Feature name	Description of change	Impacted functionality
Arm CoreLink™ NI-700 Performance Model REL	New	Added support for deployment with Synopsys® Platform Architect™.

2.4.2. Resolved issues

There are no resolved issues that needed to be fixed in this release.

2.4.3. Deprecated features

There are no deprecated features in this release.

2.5. Known limitations

This release has the following limitation:

- To build the CoreLink™ NI-700 Performance Model example in Synopsys® Platform Architect™, users must use the following make command:

```
make SNPS_PA=true
```

For any known limitations on running the Performance Model Library in the Socrates Performance Application, see the *Arm Socrates Release Note*.

For any known limitations running the Performance Model Library in Synopsys® Platform Architect™ refer to Synopsys® documentation.

3. Support

If you have any issues with the installation, content, or use of this release, create a ticket on <https://support.developer.arm.com>. Arm will respond as soon as possible.



Support for this release of the product is only provided by Arm to partners who have a current support and maintenance contract for the product.

3.1. Tools

For more information about the tools that Socrates v1.7.4 supports, see the *Arm Socrates Release Note*.

3.2. OS

For more information about the operating systems that Socrates has been developed on, see the *Arm Socrates Release Note*.

4. Conventions




The following subsections describe conventions used in Arm documents.




4.1. Glossary

The Arm Glossary is a list of terms that are used in Arm documentation, together with definitions for those terms. The Arm Glossary does not contain terms that are industry standard unless the Arm meaning differs from the generally accepted meaning.

See the Arm Glossary for more information: <https://developer.arm.com/glossary>.

4.2. Typographical conventions

Convention	Use
<i>Italic</i>	Citations.
Bold	Interface elements, such as menu names. Terms in descriptive lists, where appropriate.
Monospace	Text that you can enter at the keyboard, such as commands, file and program names, and source code.
monospace bold	Language keywords when used outside example code.
monospace <u>underline</u>	A permitted abbreviation for a command or option. You can enter the underlined text instead of the full command or option name.
<and>	Encloses replaceable terms for assembler syntax where they appear in code or code fragments. For example: <pre>MRC p15, 0, <Rd>, <CRn>, <CRm>, <Opcode_2></pre>
SMALL CAPITALS	Terms that have specific technical meanings as defined in the Arm® Glossary. For example, IMPLEMENTATION DEFINED, IMPLEMENTATION SPECIFIC, UNKNOWN, and UNPREDICTABLE.
 Caution	Recommendations. Not following these recommendations might lead to system failure or damage.
 Warning	Requirements for the system. Not following these requirements might result in system failure or damage.
 Danger	Requirements for the system. Not following these requirements will result in system failure or damage.

Convention	Use
 Note	An important piece of information that needs your attention.
 Tip	A useful tip that might make it easier, better, or faster to perform a task.
 Remember	A reminder of something important that relates to the information you are reading.