



Arm® Performance Studio 2024.1

Product revision: r24p1-00rel0


Release Note

Non-Confidential

Copyright © 2023-2024 Arm Limited (or its affiliates).
All rights reserved.

Issue 00

DSHVE-DC-06003



Arm Performance Studio 2024.1

Release Note

Copyright © 2023-2024 Arm Limited (or its affiliates). All rights reserved.

Non-Confidential Proprietary Notice

This document is protected by copyright and other related rights and the practice or implementation of the information contained in this document may be protected by one or more patents or pending patent applications. No part of this document may be reproduced in any form by any means without the express prior written permission of Arm. No license, express or implied, by estoppel or otherwise to any intellectual property rights is granted by this document unless specifically stated.

Your access to the information in this document is conditional upon your acceptance that you will not use or permit others to use the information for the purposes of determining whether implementations infringe any third party patents.

THIS DOCUMENT IS PROVIDED "AS IS". ARM PROVIDES NO REPRESENTATIONS AND NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE DOCUMENT. For the avoidance of doubt, Arm makes no representation with respect to, has undertaken no analysis to identify or understand the scope and content of, patents, copyrights, trade secrets, or other rights.

This document may include technical inaccuracies or typographical errors.

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL ARM BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF ANY USE OF THIS DOCUMENT, EVEN IF ARM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document consists solely of commercial items. You shall be responsible for ensuring that any use, duplication or disclosure of this document complies fully with any relevant export laws and regulations to assure that this document or any portion thereof is not exported, directly or indirectly, in violation of such export laws. Use of the word "partner" in reference to Arm's customers is not intended to create or refer to any partnership relationship with any other company. Arm may make changes to this document at any time and without notice.

This document may be translated into other languages for convenience, and you agree that if there is any conflict between the English version of this document and any translation, the terms of the English version of the Agreement shall prevail.

The Arm corporate logo and words marked with ® or ™ are registered trademarks or trademarks of Arm Limited (or its affiliates) in the US and/or elsewhere. All rights reserved. Other brands and names mentioned in this document may be the trademarks of their respective owners. Please follow Arm's trademark usage guidelines at <https://www.arm.com/company/policies/trademarks>.

Copyright © 2023-2024 Arm Limited (or its affiliates). All rights reserved.

Arm Limited. Company 02557590 registered in England.
110 Fulbourn Road, Cambridge, England CB1 9NJ.
(LES-PRE-20349)

Confidentiality Status

This document is Non-Confidential. The right to use, copy and disclose this document may be subject to license restrictions in accordance with the terms of the agreement entered into by Arm and the party that Arm delivered this document to.

Unrestricted Access is an Arm internal classification.

Feedback

Arm welcomes feedback on this product and its documentation. To provide feedback on Arm Performance Studio, create a ticket on <https://support.developer.arm.com>.

To provide feedback on the document, fill the following survey:
<https://developer.arm.com/documentation-feedback-survey>.

Inclusive language commitment

Arm values inclusive communities. Arm recognizes that we and our industry have used language that can be offensive. Arm strives to lead the industry and create change.

To report offensive language in this document, email terms@arm.com.

Contents

1	Release overview	5
1.1	Product description	5
1.1.1	Component versions	5
1.1.2	About RenderDoc for Arm GPUs	5
1.2	Release status	6
1.3	Feedback.....	6
1.4	Changes in this release.....	6
1.4.1	Performance Studio.....	6
1.4.2	Streamline.....	6
1.4.3	Frame Advisor	6
1.4.4	Mali Offline Compiler.....	7
1.4.5	RenderDoc for Arm GPUs.....	7
1.4.6	Graphics Analyzer	7
1.5	Known issues in this release	7
1.5.1	Streamline.....	7
1.5.2	Frame Advisor	8
2	Support.....	9
2.1	How-to videos	9
2.2	Host OS support.....	9
2.3	Target OS support	10
2.4	Related projects.....	10
2.4.1	Performance Studio for Unity package.....	10
2.4.2	ASTC Encoder texture compressor	11
2.4.3	HWCPipe library	11
2.4.4	libGPUInfo library	12
3	Installation.....	13
3.1	Install on Windows	13
3.2	Install on macOS.....	13
3.3	Install on Linux	14

1 Release overview

The following sections describe the product and its quality status at time of release.

1.1 Product description

Arm® Performance Studio is a tool suite enabling application developers to detect performance bottlenecks in their Arm CPU software and Arm Immortalis™ and Arm Mali™ GPU rendering. Profiling is provided through analysis of performance counters from the hardware, and the target application's graphics API usage.

This release of Arm Performance Studio includes:

- **Streamline**, for profiling software and graphics rendering performance. Streamline integrates **Performance Advisor**, a reporting tool used for automating graphics performance analysis and reporting in continuous integration deployments.
- **Frame Advisor**, for profiling rendering efficiency and usage of graphics APIs.
- **Mali Offline Compiler**, for static analysis of shader programs and compute kernels.
- **RenderDoc for Arm GPUs**, for debugging and inspecting usage of graphics APIs.
- **Graphics Analyzer**, for debugging and inspecting usage of graphics APIs (deprecated).

1.1.1 Component versions

This release of Arm Performance Studio includes the following tool versions:

- Streamline 9.1
- Frame Advisor 1.2
- Mali Offline Compiler 8.4
- RenderDoc for Arm GPUs 2024.1
- Graphics Analyzer 5.13

1.1.2 About RenderDoc for Arm GPUs

RenderDoc for Arm GPUs is an Arm fork of [RenderDoc](#), an open-source graphics API debugger. The Arm release includes support for API features and extensions that are available on the latest Arm GPUs, but not yet supported in upstream RenderDoc.

Arm intends to contribute changes to the upstream project, if they are willing to accept, but inevitably some Arm-specific features will only be available on the Arm fork.

1.2 Release status

This is the REL quality release of the Arm Performance Studio 2024.1 (r24p1-00rel0) software.

1.3 Feedback

We love to hear developer feedback, and prioritize things that developers ask for, so please let us know about any bugs you encounter, or feature requests for a future release.

You can send feedback [using this form](#), or you can email us at performancestudio@arm.com.

1.4 Changes in this release

This release of Arm Performance Studio contains the following changes.

1.4.1 Performance Studio

Performance Studio has the following changes:

- Added RenderDoc for Arm GPUs to the macOS (x86-64) release bundle.

1.4.2 Streamline

Streamline has the following changes:

- Added support for Microsoft Cobalt 100 CPUs.
- Increased Normal sampling rate for Arm GPU performance counters to 2KHz (500us).
- **Deprecation notice:** Energy profiling using Arm Energy Probe, or an NI DAQ probe, is a deprecated feature. It will be removed in a future release.

1.4.3 Frame Advisor

Frame Advisor has the following changes:

- Added new Mesh view for draw call geometry visualization.
- Added a zoom limiter to the Framebuffer view to stop images dropping below 1 pixel in any dimension.
- Added zoom centering to the Framebuffer view to ensure visual scaling is centered on the mouse cursor location.
- **Fix:** Framebuffer view now consistently handles sRGB color space on all host devices.
- **Fix:** Render Graph view now correctly handles OpenGL ES texture units for dependency tracking.

1.4.4 Mali Offline Compiler

Mali Offline Compiler has the following changes:

- Updated compiler backend for Bifrost, Valhall, and 5th Generation architectures to the r48p0 driver release.
- Improved static cost model to support longest path analysis of rolled loops in shaders, provided the loop iteration count is known at compile time.

1.4.5 RenderDoc for Arm GPUs

RenderDoc for Arm GPUs is based on upstream [RenderDoc 1.32](#), and has the following changes:

- Added builds for macOS (x86-64) host.
- Upgraded host Qt dependencies to Qt 5.15.2 to match upstream.
- Added requirement that Android target application must be AArch64 64-bit.
- Added requirement that Android target device must be Android 9 or newer (SDK version 28).
- **Fix:** Improved device compatibility
- **Fix:** Improved stability of acceleration structure capture across a range of content and devices.
- **Fix:** Added a workaround for acceleration structure device-side transfers failing on some Arm driver versions.

1.4.6 Graphics Analyzer

Graphics Analyzer has the following changes:

- No changes in this release.
- **Deprecation notice:** Graphics Analyzer is now deprecated. It will be removed in a future release, but only after we decide Frame Advisor is providing enough to be considered a viable replacement.

1.5 Known issues in this release

This release of Arm Performance Studio contains the following known issues.

1.5.1 Streamline

Streamline has the following known issues:

- **SDDAP-12653:** Application can crash when toggling between OS light and dark themes on macOS 14 (Sonoma).
- **SDDAP-12290:** The Mali DDK can fail to emit the Perfetto data required for the scheduling timeline visualization. This can result in entries with unidentified processes and queues. It

can also result in time ranges which show as idle in the scheduler timeline when the GPU is clearly active in the counter data. This is fixed in the Mali DDK r47p0 release.

- **SDDAP-11426:** High DPI display scaling has been disabled by default on Linux hosts, due to persistent reliability issues across multiple distributions and graphics drivers. If desired, display scaling support can be re-enabled by setting the environment variable `STREAMLINE_ENABLE_HIDPI` to 1 and restarting the tool.

1.5.2 Frame Advisor

Frame Advisor has the following known issues:

- **FRADV-865:** Frame capture can take a long time and needs further performance optimization.
- **FRADV-4841:** API modelling is not yet handling indirect draws.
- **FRADV-4841:** API modelling is not yet handling base-vertex draws.
- **FRADV-4978:** API modelling is not yet fully handling multi-context OpenGL ES applications, although it should mostly work.
- **FRADV-4972:** API modelling is not yet handling OpenGL ES vertex array objects.
- **FRADV-3557:** API modelling is not yet handling Vulkan 1.3 or the dynamic rendering extensions.
- **FRADV-4980:** API modelling is not handling command buffers that are created before the captured frame burst. We have no plan to support this functionality, as doing so would be very invasive to application performance.
- **FRADV-3898:** Actual and Ideal mesh memory bandwidth is not yet factoring in the position/non-position attribute use in the vertex shader; the only factor considered is the presence of padding bytes in the buffer memory layout.
- **FRADV-3546:** Transfer commands are not yet treated as workloads for the purposes of navigation or the Render Graph view.
- **FRADV-4639:** Compute dispatches are not yet treated as workloads for the purposes of navigation or the Render Graph view.
- **FRADV-3558:** Float image formats are not yet supported in the Framebuffer view.
- **FRADV-4951:** Render Graph view doesn't currently reflect the effect of Vulkan resolve attachments.
- Modelling is not handling stencil-only surface attachments for OpenGL ES or Vulkan. Packed depth-stencil surfaces are supported.

2 Support

To help you get started we provide a number of quick start guides available online:

- [Get started with Streamline](#)
- [Get started with Frame Advisor](#)
- [Get started with Performance Advisor](#)
- [Get started with Graphics Analyzer](#)
- [Get started with Mali Offline Compiler](#)

Technical support for Arm Performance Studio is provided via our developer forums:

- [Developer forums on community.arm.com](#)

2.1 How-to videos

Refer to the following videos to learn how to use Arm Performance Studio tools.

- [Streamline](#)
- [Performance Advisor](#)
- [Frame Advisor](#)
- [Mali Offline Compiler](#)
- [Graphics Analyzer](#)

To learn more about Arm Immortalis and Mali GPUs and how to develop optimized graphics content for mobile devices, refer to the [Mali GPU Training Series](#).

2.2 Host OS support

This release has been developed for the following host operating systems:

Table 2-1: Host operating system version support

Operating system	CPU architecture	Version
Windows	x86-64	10 or newer
macOS	x86-64	10.15 (Catalina) or newer
Ubuntu Linux	x86-64	20.04 (Focal Fossa) or newer
Ubuntu Linux	Arm AArch64	20.04 (Focal Fossa) or newer

Table 2-2: Host operating system feature availability

Operating system	CPU architecture	Version
Windows	x86-64	Mali Offline Compiler does not support OpenCL kernels.

2.3 Target OS support

This release has been developed for the following target operating systems:

Table 2-3: Target operating system version support

Feature	Version
Streamline	Android 9 or newer Ubuntu 20.04 (Focal Fossa) or newer.
Streamline Performance Advisor for OpenGL ES applications	Android 9 or newer with manual annotation Android 10 or newer with the Light-weight Interceptor
Streamline Performance Advisor for Vulkan applications	Android 9 or newer
Frame Advisor for OpenGL ES applications	Android 10 or newer
Frame Advisor for Vulkan applications	Android 9 or newer
Graphics Analyzer	Android 9 or newer Ubuntu 20.04 (Focal Fossa) or newer.
RenderDoc	Android 9 or newer Ubuntu 20.04 (Focal Fossa) or newer.

2.4 Related projects

Arm provides several open-source projects that can be used by application developers as part of their application development.

2.4.1 Performance Studio for Unity package

Current version: 1.5.0 (September 2022)

The Performance Studio for Unity package provides an open-source Unity game engine integration for Streamline and Performance Advisor. The package provides:

- C# bindings for Streamline's annotation API, allowing users to export custom software counters, and event annotations.
- Integration with the Unity profiler data source, exporting Unity object counts and memory allocations as custom software counters.

The annotation API provides a generic means to markup a Streamline capture. It can be used to emit the semantic tags that Performance Advisor reports use to denote interesting gameplay regions.

Recent changes:

Copyright © 2023-2024 Arm Limited (or its affiliates). All rights reserved.
Non-Confidential

- None.

The package is available on GitHub and can be imported directly into your Unity project using the Unity package manager. See the GitHub project documentation for more details.

- <https://github.com/ARM-software/mobile-studio-integration-for-unity/>

2.4.2 ASTC Encoder texture compressor

Current version: 4.7.0 (January 2024)

The Arm ASTC Encoder (astcenc) is an open-source texture compressor for the Adaptive Scalable Texture Compression (ASTC) texture format. It supports all block sizes, all color profiles, as well as both 2D and volumetric 3D textures. The astcenc compressor can be built as either a standalone command line application or a library that can be integrated into an existing asset creation pipeline.

4.7.0 release changes:

- Decompression rounding is now bit-exact to the standard specification, including support for the opt-in decode modes that lower precision.
- Variable alignas() annotations are now omitted in reference C builds to avoid lowering alignment on esoteric CPU architectures.
- The core codec supports an optional callback for reporting progress in large/slow images.

The source code is available on GitHub, in addition to binary releases of the command line utility for Windows, macOS, and Linux.

- <https://github.com/ARM-software/astc-encoder>

2.4.3 HWCPipe library

Current version: 2.2.0 (November 2023)

The Hardware Counter Pipe (HWCPipe) library is an open-source utility that allows applications to select and sample a set of Arm GPU performance counters. This library provides access to the same counter data that can be visualized in the Streamline tool, allowing integration of Arm GPU data into custom tooling.

2.2.0 release changes:

- Arm Midgard architecture GPUs now return an execution engine count instead of zero.
- Arm Mali-G78AE now returns a warp width instead of zero.
- Arm 5th Generation architecture GPUs now have improved counter names and expressions reflecting the semantic changes introduced by deferred vertex shading.
- A workaround has been implemented for a kernel interface version vs kernel interface implementation mismatch in some shipping Immortalis-G715 devices.

The source code is available on GitHub:

- <https://github.com/ARM-software/HWCPipe>

2.4.4 libGPUInfo library

Current version: 1.0.0 (June 2023)

The libGPUInfo library is an open-source utility that can be integrated into an application to query the configuration of the Arm GPU present in the system, including the GPU model, shader core count, shader core performance characteristics, and cache size. This information can be used to adjust the application workload at runtime to match the capabilities of the device being used.

1.0.0 release changes:

- Added an option for emitting YAML output to the command-line support utility.
- Added dynamic IP configuration query support for the Mali-G310 and Mali-G510 GPUs, as the arithmetic and texturing performance of each shader core can be configured by the chipset manufacturer.

The source code is available on GitHub:

- <https://github.com/ARM-software/libGPUInfo>

3 Installation

This section describes how to install and configure Performance Studio to run on 64-bit Windows, macOS®, and Linux.

Arm Performance Studio requires [Android Debug Bridge \(ADB\)](#) and [Python 3.8](#) (or newer), to enable connection to your device. Make sure you have these tools installed and that you have configured your environment to use them.

3.1 Install on Windows

Arm Performance Studio is provided with an installer executable. Double-click the **.exe** file and follow the instructions in the setup wizard.

- To open Streamline, open the Windows Start menu, navigate to the Arm Performance Studio folder, and select the “Arm Streamline 2024.1” shortcut,
- Performance Advisor is a command-line tool that is part of the Streamline application. To use it to generate a performance report, you must first run the provided Python script to enable Streamline to collect frame data from the device. This process is described in detail in the [Get started with Performance Advisor tutorial](#).

Once you have captured a profile with Streamline, run the `Streamline-cli -pa` command on the Streamline capture file. This command is added to your PATH environment variable during installation, so it can be used from anywhere.

```
Streamline-cli.exe -pa <options> my_capture.apc
```

- To open Graphics Analyzer, open the Windows Start menu, navigate to the Arm Performance Studio folder, and select the “Arm Graphics Analyzer 2024.1” shortcut.
- To run Mali Offline Compiler, open a command terminal, navigate to your work directory, and run the `malioc` command on a shader program. The `malioc` command is added to your PATH environment variable during installation, so can be used from anywhere.

```
malioc.exe <options> my_shader.frag
```

- To open Frame Advisor, open the Windows Start menu, navigate to the Arm Performance Studio folder, and select the “Arm Frame Advisor 2024.1” shortcut.

3.2 Install on macOS

Arm Performance Studio is provided as a **.dmg** package. To mount it, double-click the **.dmg** package and follow the instructions. The Performance Studio directory tree is copied to the **Applications** directory on your local file system for easy access.

It is recommended that you set the permissions for the installation directory to prevent other users from writing to it. This is typically achieved with the **chmod** command. For example, **chmod go-w <dest_dir>**.

Open the tools directly from the Arm Performance Studio directory in your Applications directory.

- To open Streamline, go to the `<installation_directory>/streamline` directory, and open the **Streamline.app** file.
- To run Performance Advisor, go to the `<installation_directory>/streamline` directory, and double-click the **Streamline-cli-launcher** file. Your computer will ask you to allow Streamline to control the Terminal application. Allow this.

The Performance Advisor launcher opens the Terminal application and updates your PATH environment variable so you can run Performance Advisor from any directory.

Performance Advisor is a command-line tool that is part of the Streamline application. To use it to generate a performance report, you must first run the provided Python script to enable Streamline to collect frame data from the device. This process is described in detail in the [Get started with Performance Advisor tutorial](#).

Once you have captured a profile with Streamline, run the **Streamline-cli -pa** command on the Streamline capture file to generate a performance report:

```
Streamline-cli -pa <options> my_capture.apc
```

- To open Graphics Analyzer, go to the `<installation_directory>/graphics_analyzer/gui` directory and open the **Graphics Analyzer.app** file.
- To run Mali Offline Compiler, go to the `<installation_directory>/mali_offline_compiler` directory, and double-click the **mali_offline_compiler_launcher** file.

The Mali Offline Compiler launcher opens the Terminal application and updates your PATH environment variable so you can run the **malioc** command from any directory.

To generate a shader analysis report, run the **malioc** command on a shader program:

```
malioc <options> my_shader.frag
```

On some versions of macOS, you might see a message that Mali Offline Compiler is not recognized as an application from an identified developer. To enable Mali Offline Compiler, cancel this message, then open **System Preferences > Security and Privacy**, and select **Allow Anyway** for the **malioc** application.

- To open Frame Advisor, navigate to the `<installation_directory>/frame_advisor` directory, and double-click the **FrameAdvisor-gui.app** file.

3.3 Install on Linux

Arm Performance Studio is provided as a gzipped tar archive. Extract this tar archive to your preferred location, using a recent version (1.13 or later) of GNU tar:

```
tar xvzf Arm_Performance_Studio_2024.1_linux.tgz
```

It is recommended that you set the permissions for the installation directory to prevent other users from writing to it. This is typically achieved with the **chmod** command. For example, **chmod go-w <dest_dir>**.

Open the tools directly from the location where you extracted the package.

- To open Streamline, go to the `<installation_directory>/streamline` directory and run the **Streamline** file.

```
cd <installation_directory>/streamline
./Streamline
```

- Performance Advisor is a command-line tool that is part of the Streamline application. To use it to generate a performance report, you must first run the provided Python script to enable Streamline to collect frame data from the device. This process is described in detail in the [Get started with Performance Advisor tutorial](#).

Once you have captured a profile with Streamline, go to the `<installation_directory>/streamline` directory and run the **Streamline-cli -pa** command on the Streamline capture file to generate a performance report:

```
cd <installation_directory>/performance_advisor
./Streamline-cli -pa <options> my_capture.apc
```

- To open Graphics Analyzer, go to the `<installation_directory>/graphics_analyzer/gui` directory and run the **aga** file.

```
cd <installation_directory>/graphics_analyzer/gui
./aga
```

- To run Mali Offline Compiler, go to the `<installation_directory>/mali_offline_compiler` directory and run the **malioc** command on a shader program.

```
cd <installation_directory>/mali_offline_compiler
./malioc <options> my_shader.frag
```

- To open Frame Advisor, navigate to the `<installation_directory>/frame_advisor` directory in a terminal, and run the **frame_advisor** file:

```
cd <installation_directory>/frame_advisor
./frame_advisor
```

You might find it useful to edit your PATH environment variable to add the paths to the **Streamline-cli** and **malioc** executables so that you can run them from any directory. Add the following commands to the **.bashrc** file in your home directory, so that they are set whenever you initialize a shell session:

```
PATH=$PATH:/<installation_directory>/streamline
PATH=$PATH:/<installation_directory>/mali_offline_compiler
```